



Flexible Coupling Sizing Chart

CLAY to CLAY

| Series 01: | A | | B | | C | |
|------------|-------|-----|-------|-----|------|-----|
| Part No. | in. | mm. | in. | mm. | in. | mm. |
| DS01-44 | 5.25 | 133 | 5.25 | 133 | 4.00 | 101 |
| DS01-54 | 6.12 | 155 | 5.25 | 133 | 6.00 | 152 |
| DS01-55 | 6.12 | 155 | 6.12 | 155 | 6.00 | 152 |
| DS01-64 | 7.38 | 187 | 5.25 | 133 | 6.00 | 152 |
| DS01-65 | 7.38 | 187 | 6.12 | 155 | 6.00 | 152 |
| DS01-66 | 7.38 | 187 | 7.38 | 187 | 6.00 | 152 |
| DS01-84 | 9.65 | 245 | 5.25 | 133 | 6.00 | 152 |
| DS01-86 | 9.65 | 245 | 7.38 | 187 | 6.00 | 152 |
| DS01-88 | 9.65 | 245 | 9.65 | 245 | 6.00 | 152 |
| DS01-108 | 12.25 | 311 | 9.65 | 245 | 6.00 | 152 |
| DS01-1010 | 12.25 | 311 | 12.25 | 311 | 6.00 | 152 |
| DS01-128 | 14.38 | 365 | 9.65 | 245 | 6.00 | 152 |
| DS01-1210 | 14.38 | 365 | 12.25 | 311 | 6.00 | 152 |
| DS01-1212 | 14.38 | 365 | 14.38 | 365 | 6.00 | 152 |
| DS01-1512 | 17.85 | 453 | 14.38 | 365 | 7.00 | 177 |
| DS01-1515 | 17.85 | 453 | 17.85 | 453 | 7.00 | 177 |
| DS01-1818 | 21.45 | 545 | 21.45 | 545 | 7.00 | 177 |
| DS01-2121 | 25.00 | 635 | 25.00 | 635 | 7.00 | 177 |
| DS01-2424 | 28.50 | 724 | 28.50 | 724 | 7.00 | 177 |
| DS01-2727 | 32.20 | 818 | 32.20 | 818 | 7.00 | 177 |

CLAY to Cast Iron or PVC

| Series 02: | A | | B | | C | |
|------------|------|-----|-------|-----|------|-----|
| Part No. | in. | mm. | in. | mm. | in. | mm. |
| DS02-33 | 4.00 | 101 | 3.38 | 85 | 4.00 | 101 |
| DS02-42 | 5.25 | 133 | 2.40 | 60 | 4.00 | 101 |
| DS02-43 | 5.25 | 133 | 3.38 | 85 | 4.00 | 101 |
| DS02-435 | 5.25 | 133 | 4.00 | 101 | 4.00 | 101 |
| DS02-E44 | 5.25 | 133 | 4.38 | 111 | 4.00 | 101 |
| DS02-44E | 5.25 | 133 | 4.38 | 111 | 4.00 | 101 |
| DS02-44 | 5.25 | 133 | 4.38 | 111 | 4.00 | 101 |
| DS02-46 | 5.25 | 133 | 6.50 | 162 | 6.00 | 152 |
| DS02-46E | 5.25 | 133 | 6.50 | 162 | 6.00 | 152 |
| DS02-412 | 5.25 | 133 | 14.38 | 365 | 6.00 | 152 |
| DS02-52 | 6.12 | 155 | 2.40 | 60 | 6.00 | 152 |
| DS02-53 | 6.12 | 155 | 3.38 | 85 | 6.00 | 152 |
| DS02-54 | 6.12 | 155 | 4.38 | 111 | 6.00 | 152 |
| DS02-55 | 6.12 | 155 | 5.62 | 142 | 5.00 | 127 |
| DS02-55WC | 6.12 | 155 | 5.62 | 142 | 5.00 | 127 |
| DS02-56 | 6.12 | 155 | 6.50 | 162 | 6.00 | 152 |
| DS02-62 | 7.38 | 187 | 2.40 | 60 | 6.00 | 152 |
| DS02-63 | 7.38 | 187 | 3.38 | 85 | 6.00 | 152 |
| DS02-64 | 7.38 | 187 | 4.38 | 111 | 6.00 | 152 |
| DS02-64E | 7.38 | 187 | 4.38 | 111 | 6.00 | 152 |
| DS02-65 | 7.38 | 187 | 5.62 | 142 | 6.00 | 152 |
| DS02-66 | 7.38 | 187 | 6.50 | 162 | 6.00 | 152 |
| DS02-66E | 7.38 | 187 | 6.50 | 162 | 6.00 | 152 |
| DS02-68 | 7.38 | 187 | 8.50 | 215 | 6.00 | 152 |
| DS02-610E | 7.38 | 187 | 10.60 | 269 | 6.00 | 152 |
| DS02-612 | 7.38 | 187 | 12.60 | 320 | 6.50 | 165 |
| DS02-83 | 9.65 | 245 | 3.38 | 85 | 6.00 | 152 |
| DS02-84 | 9.65 | 245 | 4.38 | 111 | 6.00 | 152 |
| DS02-84E | 9.65 | 245 | 4.38 | 111 | 6.00 | 152 |
| DS02-85 | 9.65 | 245 | 5.62 | 142 | 6.00 | 152 |

| | | | | | | |
|-----------|-------|------|-------|-----|------|-----|
| DS02-86 | 9.65 | 245 | 6.50 | 162 | 6.00 | 152 |
| DS02-86E | 9.65 | 245 | 6.50 | 162 | 6.00 | 152 |
| DS02-88 | 9.65 | 245 | 8.50 | 215 | 6.00 | 152 |
| DS02-810 | 9.65 | 245 | 10.60 | 269 | 6.00 | 152 |
| DS02-812 | 9.65 | 245 | 12.60 | 320 | 6.00 | 152 |
| DS02-815 | 9.65 | 245 | 15.40 | 391 | 6.50 | 165 |
| DS02-104 | 12.25 | 365 | 4.38 | 111 | 6.50 | 165 |
| DS02-106 | 12.25 | 365 | 6.50 | 162 | 6.50 | 165 |
| DS02-106E | 12.25 | 365 | 6.50 | 162 | 6.50 | 165 |
| DS02-108 | 12.25 | 365 | 8.50 | 215 | 6.50 | 165 |
| DS02-108E | 12.25 | 365 | 8.50 | 215 | 6.50 | 165 |
| DS02-1010 | 12.25 | 365 | 10.60 | 269 | 6.50 | 165 |
| DS02-1012 | 12.25 | 365 | 12.60 | 320 | 6.50 | 165 |
| DS02-124 | 14.38 | 365 | 4.38 | 111 | 6.50 | 165 |
| DS02-126 | 14.38 | 365 | 6.50 | 162 | 6.50 | 165 |
| DS02-128 | 14.38 | 365 | 8.50 | 215 | 6.50 | 165 |
| DS02-1210 | 14.38 | 365 | 10.60 | 269 | 6.50 | 165 |
| DS02-1212 | 14.38 | 365 | 12.60 | 320 | 6.50 | 165 |
| DS02-1218 | 14.38 | 365 | 19.50 | 495 | 6.50 | 165 |
| DS02-1510 | 17.85 | 453 | 10.60 | 269 | 6.50 | 165 |
| DS02-1515 | 17.85 | 453 | 15.40 | 391 | 6.50 | 165 |
| DS02-156 | 17.85 | 453 | 6.50 | 162 | 6.50 | 165 |
| DS02-158 | 17.85 | 453 | 8.50 | 215 | 6.50 | 165 |
| DS02-1512 | 17.85 | 453 | 12.60 | 320 | 7.00 | 177 |
| DS02-1514 | 17.85 | 453 | 14.00 | 356 | 7.00 | 177 |
| DS02-1616 | 19.20 | 488 | 16.00 | 406 | 7.00 | 177 |
| DS02-1812 | 21.45 | 545 | 12.60 | 320 | 7.00 | 177 |
| DS02-1815 | 21.45 | 545 | 15.30 | 389 | 7.00 | 177 |
| DS02-1816 | 21.45 | 545 | 16.00 | 406 | 7.00 | 177 |
| DS02-1818 | 21.45 | 545 | 18.70 | 475 | 7.00 | 177 |
| DS02-1821 | 21.45 | 545 | 21.90 | 556 | 7.00 | 177 |
| DS02-1824 | 21.45 | 545 | 24.80 | 630 | 7.00 | 177 |
| DS02-2121 | 25.00 | 635 | 21.90 | 556 | 7.00 | 177 |
| DS02-2424 | 28.50 | 724 | 25.00 | 635 | 7.00 | 177 |
| DS02-2427 | 28.50 | 724 | 28.00 | 711 | 7.00 | 177 |
| DS02-2727 | 32.00 | 813 | 28.00 | 711 | 7.00 | 177 |
| DS02-3030 | 32.20 | 818 | 31.20 | 792 | 7.00 | 177 |
| DS02-3636 | 41.50 | 1054 | 38.50 | 978 | 7.00 | 177 |

CLAY to Asbestos Cement Fibre or Ductile Iron

| Series 03: | A | | B | | C | |
|------------|-------|-----|-------|-----|------|-----|
| Part No. | in. | mm. | in. | mm. | in. | mm. |
| DS03-44 | 5.25 | 127 | 4.75 | 121 | 4.00 | 101 |
| DS03-54 | 6.12 | 155 | 4.75 | 121 | 5.00 | 127 |
| DS03-55 | 6.12 | 155 | 5.90 | 149 | 5.00 | 127 |
| DS03-64 | 7.38 | 167 | 4.75 | 121 | 6.00 | 152 |
| DS03-66 | 7.38 | 167 | 7.00 | 177 | 6.00 | 152 |
| DS03-88 | 9.65 | 245 | 9.12 | 231 | 6.00 | 152 |
| DS03-1010 | 12.25 | 311 | 11.12 | 282 | 6.50 | 165 |
| DS03-1212 | 14.38 | 365 | 13.20 | 335 | 6.50 | 165 |
| DS03-124 | 14.38 | 365 | 4.75 | 121 | 6.50 | 165 |
| DS03-1215 | 14.38 | 365 | 16.25 | 413 | 7.00 | 177 |
| DS03-1515 | 17.85 | 453 | 16.25 | 413 | 7.00 | 177 |
| DS03-1516 | 17.85 | 453 | 17.40 | 442 | 7.00 | 177 |
| DS03-1818 | 21.45 | 545 | 19.50 | 495 | 7.00 | 177 |
| DS03-2120 | 25.00 | 635 | 21.60 | 549 | 7.00 | 177 |
| DS03-2424 | 28.50 | 724 | 25.80 | 655 | 7.00 | 177 |

Concrete to Concrete

| Series 04: | A | | B | | C | |
|------------|-------|-----|-------|-----|------|-----|
| Part No. | in. | mm | in. | mm. | in. | mm. |
| DS04-44 | 5.62 | 142 | 5.62 | 142 | 4.00 | 101 |
| DS04-64 | 7.80 | 198 | 5.62 | 142 | 6.00 | 152 |
| DS04-66 | 7.80 | 198 | 7.80 | 198 | 6.00 | 152 |
| DS04-86 | 10.25 | 260 | 7.80 | 198 | 6.00 | 152 |
| DS04-88 | 10.25 | 260 | 10.25 | 260 | 6.00 | 152 |
| DS04-108 | 12.73 | 327 | 10.25 | 260 | 6.50 | 165 |
| DS04-1010 | 12.73 | 327 | 12.73 | 327 | 6.50 | 165 |
| DS04-1212 | 15.40 | 391 | 15.40 | 391 | 6.50 | 165 |
| DS04-1515 | 19.50 | 495 | 19.50 | 495 | 7.00 | 177 |
| DS04-1818 | 22.10 | 561 | 22.10 | 561 | 7.00 | 177 |
| DS04-2121 | 25.50 | 648 | 25.50 | 648 | 7.00 | 177 |
| DS04-2424 | 29.90 | 759 | 29.90 | 759 | 7.00 | 177 |

Concrete to Cast Iron or PVC

| Series 06: | A | | B | | C | |
|------------|-------|------|-------|-----|------|-----|
| Part No. | in. | mm | in. | mm. | in. | mm. |
| DS06-43 | 5.62 | 142 | 3.38 | 85 | 4.00 | 101 |
| DS06-44 | 5.62 | 142 | 4.38 | 111 | 4.00 | 101 |
| DS06-63 | 7.80 | 198 | 3.38 | 85 | 6.00 | 152 |
| DS06-64 | 7.80 | 198 | 4.38 | 111 | 6.00 | 152 |
| DS06-64E | 7.80 | 198 | 4.38 | 111 | 6.00 | 152 |
| DS06-66 | 7.80 | 198 | 6.50 | 162 | 6.00 | 152 |
| DS06-68 | 7.80 | 198 | 8.50 | 215 | 6.00 | 152 |
| DS06-82 | 10.25 | 260 | 2.40 | 60 | 6.00 | 152 |
| DS06-84 | 10.25 | 260 | 4.38 | 111 | 6.00 | 152 |
| DS06-84E | 10.25 | 260 | 4.38 | 111 | 6.00 | 152 |
| DS06-86 | 10.25 | 260 | 6.50 | 162 | 6.00 | 152 |
| DS06-88 | 10.25 | 260 | 8.50 | 215 | 6.00 | 152 |
| DS06-108 | 12.90 | 327 | 8.50 | 215 | 6.50 | 165 |
| DS06-1010 | 12.90 | 327 | 10.60 | 269 | 6.50 | 165 |
| DS06-124 | 15.40 | 391 | 4.38 | 111 | 6.50 | 165 |
| DS06-126 | 15.40 | 391 | 6.50 | 162 | 6.50 | 165 |
| DS06-126E | 15.40 | 391 | 6.50 | 162 | 6.50 | 165 |
| DS06-128 | 15.40 | 391 | 8.50 | 215 | 6.50 | 165 |
| DS06-1210 | 15.40 | 391 | 10.60 | 269 | 6.50 | 165 |
| DS06-1212 | 15.40 | 391 | 12.60 | 320 | 6.50 | 165 |
| DS06-1510 | 19.50 | 495 | 10.60 | 269 | 7.00 | 177 |
| DS06-1512 | 19.50 | 495 | 12.60 | 320 | 7.00 | 177 |
| DS06-1515 | 19.50 | 495 | 15.40 | 391 | 7.00 | 177 |
| DS06-1816 | | | | | 7.00 | 177 |
| DS06-1818 | 22.10 | 561 | 19.50 | 495 | 7.00 | 177 |
| DS06-1824 | 22.10 | 561 | 24.80 | 630 | 7.00 | 177 |
| DS06-2121 | 25.25 | 641 | 22.25 | 565 | 7.00 | 177 |
| DS06-2424 | 29.90 | 759 | 25.00 | 635 | 7.00 | 177 |
| DS06-2727 | | | | | 7.00 | 177 |
| DS06-3030 | 37.00 | 940 | 32.00 | 813 | 7.00 | 177 |
| DS06-3636 | 44.00 | 1118 | 38.90 | 988 | 7.00 | 177 |

Concrete to Clay

| Series 07: | A | | B | | C | |
|------------|-------|-----|-------|-----|------|-----|
| Part No. | in. | mm | in. | mm. | in. | mm. |
| DS07-44 | 5.62 | 142 | 5.25 | 133 | 4.00 | 101 |
| DS07-66 | 7.80 | 198 | 7.38 | 187 | 6.00 | 152 |
| DS07-88 | 10.25 | 260 | 9.65 | 245 | 6.00 | 152 |
| DS07-1010 | 12.90 | 327 | 12.25 | 311 | 6.50 | 165 |
| DS07-128 | 15.40 | 391 | 9.65 | 245 | 6.50 | 165 |
| DS07-1212 | 15.40 | 391 | 14.38 | 365 | 6.50 | 165 |
| DS07-1818 | 22.10 | 561 | 21.45 | 545 | 7.00 | 177 |

Asbestos Cement Fibre or Ductile Iron to Cast Iron or PVC

| Series 51: | A | | B | | C | |
|------------|-------|-----|-------|-----|------|-----|
| Part No. | in. | mm | in. | mm. | in. | mm. |
| DS51-415 | 4.75 | 121 | 15.40 | 392 | 4.00 | 101 |
| DS51-425 | 4.75 | 120 | 2.88 | 73 | 4.00 | 101 |
| DS51-43 | 4.75 | 120 | 3.38 | 85 | 4.00 | 101 |
| DS51-44 | 4.75 | 120 | 4.38 | 111 | 4.00 | 101 |
| DS51-46 | 4.75 | 120 | 6.50 | 162 | 6.00 | 152 |
| DS51-48 | 4.75 | 120 | 8.50 | 215 | 6.00 | 152 |
| DS51-54 | 5.90 | 149 | 4.38 | 111 | 4.00 | 101 |
| DS51-55 | 5.90 | 149 | 5.62 | 142 | 4.00 | 101 |
| DS51-56 | 5.90 | 149 | 6.50 | 162 | 6.00 | 152 |
| DS51-58 | 5.90 | 149 | 8.50 | 215 | 6.00 | 152 |
| DS51-62 | 7.00 | 177 | 2.40 | 60 | 6.00 | 152 |
| DS51-63 | 7.00 | 177 | 3.38 | 85 | 6.00 | 152 |
| DS51-64 | 7.00 | 177 | 4.38 | 111 | 6.00 | 152 |
| DS51-64E | 7.00 | 177 | 4.38 | 111 | 6.00 | 152 |
| DS51-65 | 7.00 | 177 | 5.62 | 142 | 6.00 | 152 |
| DS51-66 | 7.00 | 177 | 6.50 | 162 | 6.00 | 152 |
| DS51-68 | 7.00 | 177 | 8.50 | 215 | 6.00 | 152 |
| DS51-610 | 7.00 | 177 | 10.60 | 269 | 6.00 | 152 |
| DS51-84 | 9.12 | 231 | 4.38 | 111 | 6.00 | 152 |
| DS51-86 | 9.12 | 231 | 6.50 | 162 | 6.00 | 152 |
| DS51-86E | 9.12 | 231 | 6.50 | 162 | 6.00 | 152 |
| DS51-88 | 9.12 | 231 | 8.50 | 215 | 6.00 | 152 |
| DS51-812 | 9.12 | 231 | 12.60 | 320 | 6.00 | 152 |
| DS51-104 | 11.12 | 282 | 4.38 | 111 | 6.50 | 165 |
| DS51-108 | 11.12 | 282 | 8.50 | 215 | 6.50 | 165 |
| DS51-1010 | 11.12 | 282 | 10.60 | 269 | 6.50 | 165 |
| DS51-126 | 13.20 | 335 | 6.50 | 162 | 6.50 | 165 |
| DS51-128 | 13.20 | 335 | 8.50 | 215 | 6.50 | 165 |
| DS51-1210 | 13.20 | 335 | 10.60 | 269 | 6.50 | 165 |
| DS51-1212 | 13.20 | 335 | 12.60 | 320 | 6.50 | 165 |
| DS51-1215 | | | | | | |
| DS51-158 | 16.30 | 414 | 8.50 | 216 | 7.00 | 177 |
| DS51-1510 | 16.30 | 414 | 10.60 | 269 | 7.00 | 177 |
| DS51-1512 | 16.30 | 414 | 12.60 | 320 | 7.00 | 177 |
| DS51-1515 | 16.30 | 414 | 15.30 | 389 | 7.00 | 177 |
| DS51-1516 | 16.30 | 414 | 16.30 | 414 | 7.00 | 177 |
| DS51-1612 | 18.70 | 475 | 12.60 | 320 | 7.00 | 177 |
| DS51-1615 | 17.40 | 442 | 15.40 | 391 | 7.00 | 177 |
| DS51-1812 | 19.50 | 495 | 12.60 | 320 | 7.00 | 177 |
| DS51-1818 | 19.50 | 495 | 18.70 | 475 | 7.00 | 177 |
| DS51-2020 | 21.45 | 545 | 20.00 | 508 | 7.00 | 177 |
| DS51-2121 | | | | | | |
| DS51-2424 | 25.80 | 655 | 24.80 | 630 | 7.00 | 177 |

Asbestos Cement Fibre or Ductile Iron to Asbestos

| Series 55: | A | | B | | C | |
|------------|-------|-----|-------|-----|------|-----|
| Part No. | in. | mm | in. | mm. | in. | mm. |
| DS55-44 | 4.75 | 122 | 4.75 | 122 | 4.00 | 101 |
| DS55-55 | 5.90 | 149 | 5.90 | 149 | 4.00 | 101 |
| DS55-64 | 7.00 | 177 | 4.75 | 122 | 4.00 | 101 |
| DS55-65 | 7.00 | 177 | 5.90 | 149 | 6.00 | 152 |
| DS55-66 | 7.00 | 177 | 7.00 | 177 | 6.00 | 152 |
| DS55-86 | 9.12 | 231 | 7.00 | 177 | 6.00 | 152 |
| DS55-88 | 9.12 | 231 | 9.12 | 231 | 6.00 | 152 |
| DS55-106 | 11.12 | 282 | 7.00 | 177 | 6.00 | 152 |
| DS55-108 | 11.12 | 282 | 9.12 | 231 | 6.00 | 152 |
| DS55-1010 | 11.12 | 282 | 11.12 | 282 | 6.00 | 152 |
| DS55-1212 | 13.20 | 335 | 13.20 | 335 | 6.00 | 152 |

Asbestos Cement Fibre or Ductile Iron to Asbestos

| Series 55: | A | | B | | C | |
|------------|-------|-----|-------|-----|------|-----|
| Part No. | in. | mm | in. | mm. | in. | mm. |
| DS55-1515 | 16.30 | 414 | 16.30 | 414 | 6.50 | 165 |
| DS55-1616 | 17.40 | 442 | 17.40 | 442 | 7.00 | 177 |
| DS55-1818 | 19.50 | 495 | 19.50 | 495 | 9.00 | 229 |
| DS55-2424 | 25.80 | 655 | 25.80 | 655 | 9.00 | 229 |

Cast Iron, PVC or Steel to Cast Iron, PVC, or Steel

| Series 56: | A | | B | | C | |
|--------------|-------|-----|-------|-----|-------|-----|
| Part No. | in. | mm | in. | mm. | in. | mm. |
| DS56-0505 | 0.84 | 21 | 0.84 | 21 | 3.125 | 79 |
| DS56-075 | 1.05 | 26 | 1.05 | 26 | 3.125 | 79 |
| DS56-07505 | 1.05 | 26 | 0.84 | 21 | 3.125 | 79 |
| DS56-100 | 1.315 | 33 | 1.315 | 33 | 3.125 | 79 |
| DS56-10005 | 1.315 | 33 | 0.84 | 21 | 3.125 | 79 |
| DS56-1075 | 1.315 | 33 | 1.05 | 26 | 3.125 | 79 |
| DS56-125 | 1.65 | 40 | 1.65 | 40 | 3.50 | 88 |
| DS56-125/100 | 1.65 | 40 | 1.315 | 33 | 3.50 | 88 |
| DS56-150 | 1.90 | 48 | 1.90 | 48 | 3.50 | 88 |
| DS56-150/100 | 1.90 | 48 | 1.315 | 33 | 3.50 | 88 |
| DS56-150/125 | 1.90 | 48 | 1.65 | 40 | 3.50 | 88 |
| DS56-2075 | 2.40 | 60 | 1.05 | 26 | 4.00 | 101 |
| DS56-2100 | 2.40 | 60 | 1.315 | 33 | 4.00 | 101 |
| DS56-2125 | 2.40 | 60 | 1.65 | 42 | 4.00 | 101 |
| DS56-2150 | 2.40 | 60 | 1.90 | 48 | 4.00 | 101 |
| DS56-25150 | 2.88 | 73 | 1.90 | 48 | 4.00 | 101 |
| DS56-22 | 2.40 | 60 | 2.40 | 60 | 3.50 | 88 |
| DS56-252 | 2.88 | 73 | 2.38 | 60 | 4.00 | 101 |
| DS56-2525 | 2.88 | 73 | 2.88 | 73 | 4.00 | 101 |
| DS56-310 | 3.38 | 85 | 1.315 | 33 | 4.00 | 101 |
| DS56-3125 | 3.38 | 85 | 2.88 | 73 | 4.00 | 101 |
| DS56-3150 | 3.38 | 85 | 1.90 | 48 | 4.00 | 101 |
| DS56-32 | 3.38 | 85 | 2.40 | 60 | 4.00 | 101 |
| DS56-3215 | 3.38 | 85 | 1.65 | 42 | 4.00 | 101 |
| DS56-33 | 3.38 | 85 | 3.38 | 85 | 4.00 | 101 |
| DS56-352 | 4.00 | 101 | 2.40 | 60 | 4.00 | 101 |
| DS56-3525 | 4.00 | 101 | 2.88 | 73 | 4.00 | 101 |
| DS56-353 | 4.00 | 101 | 3.38 | 85 | 4.00 | 101 |
| DS56-3535 | 4.00 | 101 | 4.00 | 101 | 4.00 | 101 |
| DS56-4150 | 4.38 | 111 | 1.90 | 48 | 4.00 | 101 |
| DS56-42 | 4.38 | 111 | 2.40 | 60 | 4.00 | 101 |
| DS56-42E | 4.38 | 111 | 2.40 | 60 | 4.00 | 101 |
| DS56-425 | 4.38 | 111 | 2.88 | 73 | 4.00 | 101 |
| DS56-43 | 4.38 | 111 | 3.38 | 85 | 4.00 | 101 |
| DS56-43E | 4.38 | 111 | 3.38 | 85 | 4.00 | 101 |
| DS56-4343-8 | 3.38 | 85 | 3.38 | 85 | 4.00 | 101 |
| DS56-4350 | 4.38 | 111 | 4.00 | 101 | 4.00 | 101 |
| DS56-44 | 4.38 | 111 | 4.38 | 111 | 4.00 | 101 |
| DS56-44W | 4.38 | 111 | 4.38 | 111 | 4.00 | 101 |
| DS56-44E | 4.38 | 111 | 4.38 | 111 | 4.00 | 101 |
| DS56-44-8 | 4.38 | 111 | 4.38 | 111 | 8.00 | 203 |
| DS56-52 | 5.62 | 142 | 2.40 | 60 | 4.00 | 101 |
| DS56-53 | 5.62 | 142 | 3.38 | 85 | 4.00 | 101 |
| DS56-5350 | 5.62 | 142 | 4.00 | 101 | 4.00 | 101 |
| DS56-54 | 5.62 | 142 | 4.38 | 111 | 4.00 | 101 |
| DS56-55 | 5.62 | 142 | 5.62 | 142 | 4.00 | 101 |
| DS56-62 | 6.50 | 162 | 2.40 | 60 | 6.00 | 152 |
| DS56-62E | 6.50 | 162 | 2.40 | 60 | 6.00 | 152 |
| DS56-63 | 6.50 | 162 | 3.38 | 85 | 6.00 | 152 |
| DS56-63E | 6.50 | 162 | 3.38 | 85 | 6.00 | 152 |
| DS56-64 | 6.50 | 162 | 4.38 | 111 | 6.00 | 152 |
| DS56-64E | 6.50 | 162 | 4.38 | 111 | 6.00 | 152 |

Cast Iron, PVC or Steel to Cast Iron, PVC, or Steel

| Series 56: | A | | B | | C | |
|------------|-------|-----|-------|-----|------|-----|
| Part No. | in. | mm | in. | mm. | in. | mm. |
| DS56-65 | 6.50 | 162 | 5.62 | 142 | 6.00 | 152 |
| DS56-66 | 6.50 | 162 | 6.50 | 162 | 6.00 | 152 |
| DS56-66E | 6.50 | 162 | 6.50 | 162 | 6.00 | 152 |
| DS56-825 | 8.50 | 215 | 2.88 | 73 | 6.00 | 152 |
| DS56-83 | 8.50 | 215 | 3.38 | 85 | 6.00 | 152 |
| DS56-83E | 8.50 | 215 | 3.38 | 85 | 6.00 | 152 |
| DS56-84 | 8.50 | 215 | 4.38 | 111 | 6.00 | 152 |
| DS56-84E | 8.50 | 215 | 4.38 | 111 | 6.00 | 152 |
| DS56-85 | 8.50 | 215 | 5.62 | 142 | 6.00 | 152 |
| DS56-86 | 8.50 | 215 | 6.50 | 162 | 6.00 | 152 |
| DS56-86E | 8.50 | 215 | 6.50 | 162 | 6.00 | 152 |
| DS56-88 | 8.50 | 215 | 8.50 | 215 | 6.00 | 152 |
| DS56-88E | 8.50 | 215 | 8.50 | 215 | 6.00 | 152 |
| DS56-103 | 10.60 | 269 | 3.38 | 85 | 6.50 | 165 |
| DS56-104 | 10.60 | 269 | 4.38 | 111 | 6.50 | 165 |
| DS56-104E | 10.60 | 269 | 4.38 | 111 | 6.50 | 165 |
| DS56-106 | 10.60 | 269 | 6.50 | 162 | 6.50 | 165 |
| DS56-106E | 10.60 | 269 | 6.50 | 162 | 6.50 | 165 |
| DS56-108 | 10.60 | 269 | 8.50 | 215 | 6.50 | 165 |
| DS56-108E | 10.60 | 269 | 8.50 | 215 | 6.50 | 165 |
| DS56-1010 | 10.60 | 269 | 10.60 | 269 | 6.50 | 165 |
| DS56-122 | 12.60 | 320 | 2.40 | 60 | 6.50 | 165 |
| DS56-124 | 12.60 | 320 | 4.38 | 111 | 6.50 | 165 |
| DS56-126 | 12.60 | 320 | 6.50 | 162 | 6.50 | 165 |
| DS56-128 | 12.60 | 320 | 8.50 | 215 | 6.50 | 165 |
| DS56-1210 | 12.60 | 320 | 10.60 | 269 | 6.50 | 165 |
| DS56-1212 | 12.60 | 320 | 12.60 | 320 | 6.50 | 165 |
| DS56-148 | 14.38 | 365 | 8.50 | 215 | 6.50 | 165 |
| DS56-1412 | 14.38 | 365 | 12.60 | 320 | 6.50 | 165 |
| DS56-1414 | 14.38 | 365 | 14.38 | 365 | 6.50 | 165 |
| DS56-156 | 15.40 | 391 | 6.50 | 162 | 6.50 | 165 |
| DS56-158 | 15.40 | 391 | 8.50 | 215 | 6.50 | 165 |
| DS56-1510 | 15.40 | 391 | 10.60 | 269 | 6.50 | 165 |
| DS56-1512 | 15.40 | 391 | 12.60 | 320 | 6.50 | 165 |
| DS56-1515 | 15.40 | 391 | 15.40 | 391 | 6.50 | 165 |
| DS56-168 | 16.30 | 414 | 8.50 | 215 | 6.50 | 165 |
| DS56-1615 | 16.30 | 414 | 15.40 | 391 | 6.50 | 165 |
| DS56-1616 | 16.30 | 414 | 16.30 | 414 | 6.50 | 165 |
| DS56-1717 | 17.85 | 453 | 17.85 | 453 | 6.50 | 165 |
| DS56-1815 | 19.50 | 495 | 15.40 | 391 | 9.00 | 229 |
| DS56-1816 | 18.70 | 475 | 16.30 | 414 | 9.00 | 229 |
| DS56-1818 | 18.70 | 475 | 18.70 | 475 | 9.00 | 229 |
| DS56-2020 | 21.45 | 545 | 21.45 | 545 | 7.00 | 177 |
| DS56-2121 | 21.90 | 556 | 21.90 | 556 | 7.00 | 177 |
| DS56-2424 | 24.80 | 630 | 24.80 | 630 | 9.00 | 229 |
| DS56-2727 | 28.00 | 711 | 28.00 | 711 | 9.00 | 229 |
| DS56-3030 | 31.18 | 792 | 31.18 | 792 | 9.00 | 229 |
| DS56-3636 | 38.30 | 973 | 38.30 | 973 | 9.00 | 229 |

Cast Iron, PVC to Copper

| Series 58: | A | | B | | C | |
|--------------|------|----|------|-----|------|-----|
| Part No. | in. | mm | in. | mm. | in. | mm. |
| DS58-075 | 1.05 | 27 | 0.84 | 21 | 3.5 | 89 |
| DS58-125/125 | 1.65 | 40 | 1.38 | 35 | 3.50 | 89 |
| DS58-150 | 1.90 | 48 | 1.63 | 41 | 3.50 | 89 |
| DS58-150/075 | 1.90 | 48 | 0.84 | 21 | 3.50 | 89 |
| DS58-150/100 | 1.90 | 48 | 1.05 | 27 | 3.50 | 89 |
| DS58-150/125 | 1.90 | 48 | 1.38 | 35 | 3.50 | 89 |
| DS58-1502 | 1.90 | 48 | 2.13 | 54 | 3.50 | 89 |
| DS58-2075 | 2.40 | 61 | 0.84 | 21 | 3.50 | 89 |

Cast Iron, PVC to Copper

| Series 58: | | | | | | |
|-------------------|----------|-----|----------|-----|----------|-----|
| Part No. | A | | B | | C | |
| | in. | mm | in. | mm. | in. | mm. |
| DS58-2100 | 2.40 | 61 | 1.05 | 27 | 3.50 | 89 |
| DS58-2125 | 2.40 | 61 | 1.38 | 35 | 3.50 | 89 |
| DS58-2150 | 2.40 | 61 | 1.63 | 41 | 3.50 | 89 |
| DS58-22 | 2.40 | 61 | 2.13 | 54 | 3.50 | 89 |
| DS58-23 | 2.40 | 61 | 3.13 | 79 | 4.00 | 101 |
| DS58-32 | 3.38 | 86 | 2.13 | 54 | 4.00 | 101 |
| DS58-33 | 3.38 | 86 | 3.13 | 79 | 4.00 | 101 |
| DS58-34 | 3.38 | 86 | 4.13 | 104 | 4.00 | 101 |
| DS58-42 | 4.38 | 111 | 2.13 | 54 | 4.00 | 101 |
| DS58-43 | 4.38 | 111 | 3.13 | 79 | 4.00 | 101 |
| DS58-435 | 5.25 | 133 | 4.00 | 102 | 4.00 | 101 |
| DS58-44 | 4.38 | 111 | 4.13 | 105 | 4.00 | 101 |
| DS58-62 | 6.50 | 165 | 2.13 | 54 | 4.00 | 101 |

Socket x Pipe

| Series 59: | | | | | | |
|-------------------|----------|-----|----------|-----|----------|-----|
| Part No. | A | | B | | C | |
| | in. | mm | in. | mm. | in. | mm. |
| DS59-150 | 2.40 | 60 | 1.90 | 48 | 4.00 | 101 |
| DS59-2125 | 2.88 | 73 | 1.40 | 36 | 4.00 | 101 |
| DS59-2150 | 2.88 | 73 | 1.90 | 49 | 4.00 | 101 |
| DS59-22 | 2.88 | 73 | 2.40 | 61 | 4.00 | 101 |
| DS59-3150 | 4.00 | 101 | 1.90 | 48 | 4.00 | 101 |
| DS59-32 | 4.00 | 101 | 2.40 | 49 | 4.00 | 101 |
| DS59-33 | 4.00 | 101 | 3.38 | 86 | 4.00 | 101 |
| DS59-42 | 5.25 | 133 | 2.40 | 49 | 4.00 | 101 |
| DS59-43 | 5.25 | 133 | 3.38 | 86 | 4.00 | 101 |
| DS59-44 | 5.25 | 133 | 4.38 | 111 | 4.00 | 101 |

Socket to Socket

| Series 60: | | | | | | |
|-------------------|----------|-----|----------|-----|----------|-----|
| Part No. | A | | B | | C | |
| | in. | mm | in. | mm. | in. | mm. |
| DS60-150 | 2.40 | 60 | 2.40 | 60 | 3.50 | 88 |
| DS60-22 | 2.88 | 73 | 2.88 | 73 | 4.00 | 101 |
| DS60-33 | 4.00 | 101 | 4.00 | 101 | 4.00 | 101 |
| DS60-44 | 5.25 | 133 | 5.25 | 133 | 4.00 | 101 |
| DS60-66 | 7.38 | 187 | 7.38 | 187 | 6.00 | 152 |

Copper to Copper

| Series 61: | | | | | | |
|-------------------|----------|-----|----------|-----|----------|-----|
| Part No. | A | | B | | C | |
| | in. | mm | in. | mm. | in. | mm. |
| DS61-125 | 1.38 | 35 | 1.38 | 35 | 3.50 | 89 |
| DS61-150 | 1.63 | 41 | 1.63 | 41 | 3.50 | 89 |
| DS61-22 | 2.13 | 54 | 2.13 | 54 | 3.50 | 89 |
| DS61-33 | 3.13 | 79 | 3.13 | 79 | 4.00 | 101 |
| DS61-44 | 4.13 | 104 | 4.13 | 104 | 4.00 | 101 |
| DS61-54 | 5.25 | 133 | 4.00 | 102 | 4.00 | 101 |

ADS, Corrogated PE to Cast Iron, PVC or Steel

| Series 70: | | | | | | |
|-------------------|----------|-----|----------|-----|----------|-----|
| Part No. | A | | B | | C | |
| | in. | mm | in. | mm. | in. | mm. |
| DS70-33 | 4.75 | 121 | 3.38 | 85 | 4.00 | 101 |
| DS70-42 | 4.75 | 121 | 2.40 | 60 | 4.00 | 101 |
| DS70-43 | 4.75 | 121 | 3.38 | 85 | 4.00 | 101 |
| DS70-44 | 4.75 | 121 | 4.38 | 111 | 4.00 | 101 |
| DS70-63 | 7.00 | 177 | 3.38 | 85 | 6.00 | 152 |
| DS70-64 | 7.00 | 177 | 4.38 | 111 | 6.00 | 152 |
| DS70-66 | 7.00 | 177 | 6.50 | 162 | 6.00 | 152 |
| DS70-68 | 7.00 | 177 | 8.50 | 215 | 6.00 | 152 |
| DS70-610 | 7.00 | 177 | 10.60 | 269 | 6.00 | 152 |
| DS70-82 | 9.65 | 245 | 2.40 | 60 | 6.00 | 152 |
| DS70-83 | 9.65 | 245 | 3.38 | 85 | 6.00 | 152 |
| DS70-84 | 9.65 | 245 | 4.38 | 111 | 6.00 | 152 |
| DS70-84E | 9.65 | 245 | 4.38 | 111 | 6.00 | 152 |
| DS70-86 | 9.65 | 245 | 6.50 | 162 | 6.00 | 152 |
| DS70-88 | 9.65 | 245 | 8.50 | 215 | 6.00 | 152 |
| DS70-810 | 9.65 | 245 | 10.60 | 269 | 6.50 | 165 |
| DS70-106 | 11.12 | 311 | 6.50 | 165 | 6.50 | 165 |
| DS70-108 | 11.12 | 311 | 8.50 | 215 | 6.50 | 165 |
| DS70-1010 | 11.12 | 282 | 10.60 | 269 | 6.50 | 165 |
| DS70-1012 | 11.12 | 282 | 12.60 | 320 | 6.50 | 165 |
| DS70-124 | 14.38 | 365 | 4.38 | 111 | 6.50 | 165 |
| DS70-126 | 14.38 | 365 | 6.50 | 165 | 6.50 | 165 |
| DS70-128 | 14.38 | 365 | 8.50 | 215 | 6.50 | 165 |
| DS70-1210 | 14.38 | 365 | 10.60 | 269 | 6.50 | 165 |
| DS70-1212 | 14.38 | 365 | 12.60 | 320 | 6.50 | 165 |
| DS70-1216 | 13.20 | 335 | 15.40 | 391 | 6.50 | 165 |
| DS70-1410 | 16.60 | 422 | 10.60 | 269 | 7.00 | 177 |
| DS70-1515 | 17.88 | 453 | 15.40 | 391 | 7.00 | 177 |

ADS/CORROGATED PE

| Series 71: | | | | | | |
|-------------------|----------|-----|----------|-----|----------|-----|
| Part No. | A | | B | | C | |
| | in. | mm | in. | mm. | in. | mm. |
| DS71-1815 | 21.50 | 546 | 17.90 | 455 | 9.00 | 229 |